



KÖMMERLING®

High Performance Energy Efficient Standard and Softcoat LowE IGU for Kömmerring uPVC Systems





Australian Glass Group is proud to showcase our High Performance Softcoat LowE IGU offerings in WERS linked to Kömmerling suites.

Proudly manufactured, certified, stocked and guaranteed in Australia – NSW, VIC and TAS.

Also known as Sputter Coated LowE, this evolution of technology and innovation sees atomic layers of silver and metal oxides provide superior performance as well as no risk of visible haze that other hardcoat LowE coatings can have.

LowE is low emissivity, meaning low heat transfer through the glass. AGG offers a full range to meet all your performance needs. Partnered with the superior insulation of a Double Glazed Unit (DGU), you will find some of the best performances available:



Our classic Insulated Glass Units (IGU), no coating but argon gas as standard



An ideal LowE for warmer climates to minimise Glare and a balance of Solar Control & great Insulation



An ideal LowE for colder climates with maximum Visible Light, Passive Heat Gain & excellent Insulation



Superior performance to maximise both Solar Control and Insulation without compromising Visible Light

AGG also understands the vital importance of certification and compliance of glass products. Our products are manufactured and certified to Australian Standards by an international certification body, Bureau Veritas. Relevant compliance is certified and available on request in key areas including;

AS 2208:1996 – Safety glazing materials in buildings

AS 4666: 2012 – Insulated Glass Units



Contents



Kömmerling uPVC Systems

Double Glazed Units (DGU) 4-12

PRO-008	70mm System Fixed Window	4
PRO-004	70mm System Opening Inward Awning Window	5
PRO-005	70mm System Opening Outward Awning Window	6
PRO-007	70mm System Single Sash Tilt and Turn Window	7
PRO-006	70mm System Sliding Door (Tilt and Slide)	8
PRO-010	70mm System Opening Inward Door	9
PRO-012	70mm System Opening Outward Door	10
PRO-002	PremiDoor (Lift and Slide)	11
PRO-003	PremiLine (Stacker Door)	12

Triple Glazed Units (TGU) 13-16

PRO-009	70mm System Fixed Window	13
PRO-015	70mm System Opening Inward Awning Window	13
PRO-016	70mm System Opening Outward Awning Window	14
PRO-018	70mm System Single Sash Tilt and Turn Window	14
PRO-017	70mm System Sliding Door (Tilt and Slide)	15
PRO-011	70mm System Opening Inward Door	15
PRO-013	70mm System Opening Outward Door	16
PRO-014	PremiDoor (Lift and Slide)	16

KÖMMERLING 70mm SYSTEM FIXED WINDOW

WERS Window ID	Glazing - Short Name	Glazing - Full Description	Total Window Performance			
			U-Value (Uw)	SHGCw	VLT (Tvw)	AI
PRO-008	70mm SYSTEM FIXED WINDOW - DOUBLE GLAZED					
● PRO-008-002	AGG CLASSIC Clr 4/20/4	AGG Insulglass Classic - 4mm Clear / 20mm argon / 4mm Clear	2.5	0.63	0.66	0.00
● PRO-008-003	AGG CLASSIC Clr 5/18/5	AGG Insulglass Classic - 5mm Clear / 18mm argon / 5mm Clear	2.5	0.62	0.65	0.00
● PRO-008-004	AGG CLASSIC Clr 6/16/6	AGG Insulglass Classic - 6mm Clear / 16mm argon / 6mm Clear	2.4	0.60	0.65	0.00
● PRO-008-005	AGG CLASSIC Clr 8/12/8	AGG Insulglass Classic - 8mm Clear / 12mm argon / 8mm Clear	2.4	0.58	0.64	0.00
● PRO-008-006	AGG CLASSIC Gy 4/20/4	AGG Insulglass Classic - 4mm Grey / 20mm argon / 4mm Clear	2.5	0.47	0.41	0.00
● PRO-008-007	AGG CLASSIC Gy 6/16/6	AGG Insulglass Classic - 6mm Grey / 16mm argon / 6mm Clear	2.4	0.40	0.32	0.00
● PRO-008-008	AGG CLASSIC Clr lam 6.38/18/4	AGG Insulglass Classic - 6.38mm Clear Laminate / 18mm argon / 4mm Clear	2.4	0.58	0.65	0.00
● PRO-008-009	AGG CLASSIC Clr lam 6.38/16/6	AGG Insulglass Classic - 6.38mm Clear Laminate / 16mm argon / 6mm Clear	2.4	0.58	0.65	0.00
● PRO-008-010	AGG CLASSIC WTrans lam 6.38/18/4	AGG Insulglass Classic - 6.38mm WhiteTrans Laminate / 18mm argon / 4mm Clear	2.4	0.48	0.50	0.00
● PRO-008-011	AGG CLASSIC WTrans lam 6.38/16/6	AGG Insulglass Classic - 6.38mm WhiteTrans Laminate / 16mm argon / 6mm Clear	2.4	0.48	0.49	0.00
● PRO-008-012	AGG PRIME Clr 4/20/4	AGG Insulglass LowE Prime - 4mm LowE Prime / 20mm argon / 4mm Clear	1.8	0.45	0.55	0.00
● PRO-008-013	AGG PRIME Clr 5/18/5	AGG Insulglass LowE Prime - 5mm LowE Prime / 18mm argon / 5mm Clear	1.8	0.44	0.55	0.00
● PRO-008-014	AGG PRIME Clr 6/16/6	AGG Insulglass LowE Prime - 6mm LowE Prime / 16mm argon / 6mm Clear	1.8	0.44	0.54	0.00
● PRO-008-015	AGG PRIME Clr 8/12/8	AGG Insulglass LowE Prime - 8mm LowE Prime / 12mm argon / 8mm Clear	1.7	0.42	0.54	0.00
● PRO-008-016	AGG PRIME Gy 4/20/4	AGG Insulglass LowE Prime - 4mm Grey / 20mm argon / 4mm LowE Prime	1.8	0.39	0.35	0.00
● PRO-008-017	AGG PRIME Gy 6/16/6	AGG Insulglass LowE Prime - 6mm Grey / 16mm argon / 6mm LowE Prime	1.8	0.32	0.27	0.00
● PRO-008-018	AGG PRIME Clr lam 4/18/6.38	AGG Insulglass LowE Prime - 4mm LowE Prime / 18mm argon / 6.38mm Clear Laminate	1.8	0.45	0.55	0.00
● PRO-008-019	AGG PRIME Clr lam 6/16/6.38	AGG Insulglass LowE Prime - 6mm LowE Prime / 16mm argon / 6.38mm Clear Laminate	1.8	0.43	0.55	0.00
● PRO-008-020	AGG PRIME WTrans lam 4/18/6.38	AGG Insulglass LowE Prime - 4mm LowE Prime / 18mm argon / 6.38mm WhiteTrans Laminate	1.8	0.43	0.42	0.00
● PRO-008-021	AGG PRIME WTrans lam 6/16/6.38	AGG Insulglass LowE Prime - 6mm LowE Prime / 16mm argon / 6.38mm WhiteTrans Laminate	1.8	0.42	0.42	0.00
● PRO-008-022	AGG PLUS Clr 4/20/4	AGG Insulglass LowE Plus - 4mm Clear / 20mm argon / 4mm LowE Plus	1.6	0.49	0.65	0.00
● PRO-008-023	AGG PLUS Clr 5/18/5	AGG Insulglass LowE Plus - 5mm Clear / 18mm argon / 5mm LowE Plus	1.6	0.48	0.64	0.00
● PRO-008-024	AGG PLUS Clr 6/16/6	AGG Insulglass LowE Plus - 6mm Clear / 16mm argon / 6mm LowE Plus	1.6	0.48	0.64	0.00
● PRO-008-025	AGG PLUS Clr 8/12/8	AGG Insulglass LowE Plus - 8mm Clear / 12mm argon / 8mm LowE Plus	1.6	0.46	0.63	0.00
● PRO-008-026	AGG PLUS Gy 4/20/4	AGG Insulglass LowE Plus - 4mm Grey / 20mm argon / 4mm LowE Plus	1.6	0.35	0.41	0.00
● PRO-008-027	AGG PLUS Gy 6/16/6	AGG Insulglass LowE Plus - 6mm Grey / 16mm argon / 6mm LowE Plus	1.6	0.29	0.32	0.00
● PRO-008-028	AGG PLUS Clr lam 6.38/18/4	AGG Insulglass LowE Plus - 6.38mm Clear Laminate / 18mm argon / 4mm LowE Plus	1.6	0.46	0.64	0.00
● PRO-008-029	AGG PLUS Clr lam 6.38/16/6	AGG Insulglass LowE Plus - 6.38mm Clear Laminate / 16mm argon / 6mm LowE Plus	1.6	0.46	0.64	0.00
● PRO-008-030	AGG PLUS WTrans lam 6.38/18/4	AGG Insulglass LowE Plus - 6.38mm WhiteTrans Laminate / 18mm argon / 4mm LowE Plus	1.6	0.37	0.49	0.00
● PRO-008-031	AGG PLUS WTrans lam 6.38/16/6	AGG Insulglass LowE Plus - 6.38mm White Trans Laminate / 16mm argon / 6mm LowE Plus	1.6	0.37	0.49	0.00
● PRO-008-032	AGG MAX Clr 6/16/6	AGG Insulglass LowE Max - 6mm LowE Max / 16mm argon / 6mm Clear	1.5	0.22	0.52	0.00
● PRO-008-033	AGG MAX LI 6/16/6	AGG Insulglass LowE Max - 6mm LowE Max / 16mm argon / 6mm Low Iron	1.5	0.22	0.53	0.00
● PRO-008-034	AGG MAX Gy 6/16/6	AGG Insulglass LowE Max - 6mm Grey / 16mm argon / 6mm LowE Max	1.5	0.19	0.26	0.00
● PRO-008-035	AGG MAX Clr lam 6/16/6.38	AGG Insulglass LowE Max - 6mm LowE Max / 16mm argon / 6.38mm Clear Laminate	1.5	0.22	0.52	0.00
● PRO-008-036	AGG MAX WTrans lam 6/16/6.38	AGG Insulglass LowE Max - 6mm LowE Max / 16mm argon / 6.38mm WhiteTrans Laminate	1.5	0.22	0.40	0.00



Australian
Glass Group®

Double Glazed Units (DGU)



KÖMMERLING®

KÖMMERLING 70mm SYSTEM OPENING INWARD AWNING WINDOW

WERS Window ID	Glazing - Short Name	Glazing - Full Description	Total Window Performance				
			U-Value (Uw)	SHGCw	VLT (Tvw)	AI	
PRO-004	70mm SYSTEM OPENING INWARD AWNING WINDOW - DOUBLE GLAZED						
● PRO-004-046	AGG CLASSIC Clr 4/20/4	AGG Insulglass Classic - 4mm Clear / 20mm argon / 4mm Clear	2.3	0.39	0.40	0.11	
● PRO-004-047	AGG CLASSIC Clr 5/18/5	AGG Insulglass Classic - 5mm Clear / 18mm argon / 5mm Clear	2.3	0.38	0.39	0.11	
● PRO-004-048	AGG CLASSIC Clr 6/16/6	AGG Insulglass Classic - 6mm Clear / 16mm argon / 6mm Clear	2.3	0.37	0.39	0.11	
● PRO-004-049	AGG CLASSIC Clr 8/12/8	AGG Insulglass Classic - 8mm Clear / 12mm argon / 8mm Clear	2.3	0.36	0.38	0.11	
● PRO-004-050	AGG CLASSIC Gy 4/20/4	AGG Insulglass Classic - 4mm Grey / 20mm argon / 4mm Clear	2.3	0.29	0.25	0.11	
● PRO-004-051	AGG CLASSIC Gy 6/16/6	AGG Insulglass Classic - 6mm Grey / 16mm argon / 6mm Clear	2.3	0.25	0.19	0.11	
● PRO-004-052	AGG CLASSIC Clr lam 6.38/18/4	AGG Insulglass Classic - 6.38mm Clear Laminate / 18mm argon / 4mm Clear	2.3	0.36	0.39	0.11	
● PRO-004-053	AGG CLASSIC Clr lam 6.38/16/6	AGG Insulglass Classic - 6.38mm Clear Laminate / 16mm argon / 6mm Clear	2.3	0.36	0.39	0.11	
● PRO-004-054	AGG CLASSIC WTrans lam 6.38/18/4	AGG Insulglass Classic - 6.38mm WhiteTrans Laminate / 18mm argon / 4mm Clear	2.3	0.30	0.30	0.11	
● PRO-004-055	AGG CLASSIC WTrans lam 6.38/16/6	AGG Insulglass Classic - 6.38mm WhiteTrans Laminate / 16mm argon / 6mm Clear	2.3	0.30	0.30	0.11	
● PRO-004-056	AGG PRIME Clr 4/20/4	AGG Insulglass LowE Prime - 4mm LowE Prime / 20mm argon / 4mm Clear	1.9	0.28	0.33	0.11	
● PRO-004-057	AGG PRIME Clr 5/18/5	AGG Insulglass LowE Prime - 5mm LowE Prime / 18mm argon / 5mm Clear	1.9	0.28	0.33	0.11	
● PRO-004-058	AGG PRIME Clr 6/16/6	AGG Insulglass LowE Prime - 6mm LowE Prime / 16mm argon / 6mm Clear	1.9	0.27	0.33	0.11	
● PRO-004-059	AGG PRIME Clr 8/12/8	AGG Insulglass LowE Prime - 8mm LowE Prime / 12mm argon / 8mm Clear	1.9	0.27	0.32	0.11	
● PRO-004-060	AGG PRIME Gy 4/20/4	AGG Insulglass LowE Prime - 4mm Grey / 20mm argon / 4mm LowE Prime	1.9	0.25	0.21	0.11	
● PRO-004-061	AGG PRIME Gy 6/16/6	AGG Insulglass LowE Prime - 6mm Grey / 16mm argon / 6mm LowE Prime	1.9	0.20	0.16	0.11	
● PRO-004-062	AGG PRIME Clr lam 4/18/6.38	AGG Insulglass LowE Prime - 4mm LowE Prime / 18mm argon / 6.38mm Clear Laminate	1.9	0.28	0.33	0.11	
● PRO-004-063	AGG PRIME Clr lam 6/16/6.38	AGG Insulglass LowE Prime - 6mm LowE Prime / 16mm argon / 6.38mm Clear Laminate	1.9	0.27	0.33	0.11	
● PRO-004-064	AGG PRIME WTrans lam 4/18/6.38	AGG Insulglass LowE Prime - 4mm LowE Prime / 18mm argon / 6.38mm WhiteTrans Laminate	1.9	0.27	0.25	0.11	
● PRO-004-065	AGG PRIME WTrans lam 6/16/6.38	AGG Insulglass LowE Prime - 6mm LowE Prime / 16mm argon / 6.38mm WhiteTrans Laminate	1.9	0.26	0.25	0.11	
● PRO-004-066	AGG PLUS Clr 4/20/4	AGG Insulglass LowE Plus - 4mm Clear / 20mm argon / 4mm LowE Plus	1.8	0.31	0.39	0.11	
● PRO-004-067	AGG PLUS Clr 5/18/5	AGG Insulglass LowE Plus - 5mm Clear / 18mm argon / 5mm LowE Plus	1.8	0.30	0.39	0.11	
● PRO-004-068	AGG PLUS Clr 6/16/6	AGG Insulglass LowE Plus - 6mm Clear / 16mm argon / 6mm LowE Plus	1.8	0.30	0.38	0.11	
● PRO-004-069	AGG PLUS Clr 8/12/8	AGG Insulglass LowE Plus - 8mm Clear / 12mm argon / 8mm LowE Plus	1.8	0.29	0.38	0.11	
● PRO-004-070	AGG PLUS Gy 4/20/4	AGG Insulglass LowE Plus - 4mm Grey / 20mm argon / 4mm LowE Plus	1.8	0.22	0.24	0.11	
● PRO-004-071	AGG PLUS Gy 6/16/6	AGG Insulglass LowE Plus - 6mm Grey / 16mm argon / 6mm LowE Plus	1.8	0.18	0.19	0.11	
● PRO-004-072	AGG PLUS Clr lam 6.38/18/4	AGG Insulglass LowE Plus - 6.38mm Clear Laminate / 18mm argon / 4mm LowE Plus	1.8	0.29	0.39	0.11	
● PRO-004-073	AGG PLUS Clr lam 6.38/16/6	AGG Insulglass LowE Plus - 6.38mm Clear Laminate / 16mm argon / 6mm LowE Plus	1.8	0.29	0.39	0.11	
● PRO-004-074	AGG PLUS WTrans lam 6.38/18/4	AGG Insulglass LowE Plus - 6.38mm WhiteTrans Laminate / 18mm argon / 4mm LowE Plus	1.8	0.23	0.30	0.11	
● PRO-004-075	AGG PLUS WTrans lam 6.38/16/6	AGG Insulglass LowE Plus - 6.38mm White Trans Laminate / 16mm argon / 6mm LowE Plus	1.8	0.23	0.29	0.11	
● PRO-004-076	AGG MAX Clr 6/16/6	AGG Insulglass LowE Max - 6mm LowE Max / 16mm argon / 6mm Clear	1.8	0.14	0.31	0.11	
● PRO-004-077	AGG MAX LI 6/16/6	AGG Insulglass LowE Max - 6mm LowE Max / 16mm argon / 6mm Low Iron	1.8	0.14	0.32	0.11	
● PRO-004-078	AGG MAX Gy 6/16/6	AGG Insulglass LowE Max - 6mm Grey / 16mm argon / 6mm LowE Max	1.8	0.12	0.16	0.11	
● PRO-004-079	AGG MAX Clr lam 6/16/6.38	AGG Insulglass LowE Max - 6mm LowE Max / 16mm argon / 6.38mm Clear Laminate	1.7	0.14	0.31	0.11	
● PRO-004-080	AGG MAX WTrans lam 6/16/6.38	AGG Insulglass LowE Max - 6mm LowE Max / 16mm argon / 6.38mm WhiteTrans Laminate	1.7	0.14	0.24	0.11	

KÖMMERLING 70mm SYSTEM OPENING OUTWARD AWNING WINDOW

WERS Window ID	Glazing - Short Name	Glazing - Full Description	Total Window Performance				
			U-Value (Uw)	SHGCw	VLT (Tvw)	AI	
PRO-005	70mm SYSTEM OPENING OUTWARD AWNING WINDOW - DOUBLE GLAZED						
● PRO-005-046	AGG CLASSIC Clr 4/20/4	AGG Insulglass Classic - 4mm Clear / 20mm argon / 4mm Clear	2.3	0.39	0.39	0.66	
● PRO-005-047	AGG CLASSIC Clr 5/18/5	AGG Insulglass Classic - 5mm Clear / 18mm argon / 5mm Clear	2.3	0.38	0.39	0.66	
● PRO-005-048	AGG CLASSIC Clr 6/16/6	AGG Insulglass Classic - 6mm Clear / 16mm argon / 6mm Clear	2.3	0.37	0.39	0.66	
● PRO-005-049	AGG CLASSIC Clr 8/12/8	AGG Insulglass Classic - 8mm Clear / 12mm argon / 8mm Clear	2.2	0.36	0.38	0.66	
● PRO-005-050	AGG CLASSIC Gy 4/20/4	AGG Insulglass Classic - 4mm Grey / 20mm argon / 4mm Clear	2.3	0.29	0.25	0.66	
● PRO-005-051	AGG CLASSIC Gy 6/16/6	AGG Insulglass Classic - 6mm Grey / 16mm argon / 6mm Clear	2.3	0.25	0.19	0.66	
● PRO-005-052	AGG CLASSIC Clr lam 6.38/18/4	AGG Insulglass Classic - 6.38mm Clear Laminate / 18mm argon / 4mm Clear	2.2	0.36	0.39	0.66	
● PRO-005-053	AGG CLASSIC Clr lam 6.38/16/6	AGG Insulglass Classic - 6.38mm Clear Laminate / 16mm argon / 6mm Clear	2.2	0.35	0.39	0.66	
● PRO-005-054	AGG CLASSIC WTrans lam 6.38/18/4	AGG Insulglass Classic - 6.38mm WhiteTrans Laminate / 18mm argon / 4mm Clear	2.2	0.30	0.30	0.66	
● PRO-005-055	AGG CLASSIC WTrans lam 6.38/16/6	AGG Insulglass Classic - 6.38mm WhiteTrans Laminate / 16mm argon / 6mm Clear	2.2	0.30	0.30	0.66	
● PRO-005-056	AGG PRIME Clr 4/20/4	AGG Insulglass LowE Prime - 4mm LowE Prime / 20mm argon / 4mm Clear	1.9	0.28	0.33	0.66	
● PRO-005-057	AGG PRIME Clr 5/18/5	AGG Insulglass LowE Prime - 5mm LowE Prime / 18mm argon / 5mm Clear	1.9	0.27	0.33	0.66	
● PRO-005-058	AGG PRIME Clr 6/16/6	AGG Insulglass LowE Prime - 6mm LowE Prime / 16mm argon / 6mm Clear	1.9	0.27	0.33	0.66	
● PRO-005-059	AGG PRIME Clr 8/12/8	AGG Insulglass LowE Prime - 8mm LowE Prime / 12mm argon / 8mm Clear	1.8	0.26	0.32	0.66	
● PRO-005-060	AGG PRIME Gy 4/20/4	AGG Insulglass LowE Prime - 4mm Grey / 20mm argon / 4mm LowE Prime	1.9	0.24	0.21	0.66	
● PRO-005-061	AGG PRIME Gy 6/16/6	AGG Insulglass LowE Prime - 6mm Grey / 16mm argon / 6mm LowE Prime	1.9	0.20	0.16	0.66	
● PRO-005-062	AGG PRIME Clr lam 4/18/6.38	AGG Insulglass LowE Prime - 4mm LowE Prime / 18mm argon / 6.38mm Clear Laminate	1.9	0.28	0.33	0.66	
● PRO-005-063	AGG PRIME Clr lam 6/16/6.38	AGG Insulglass LowE Prime - 6mm LowE Prime / 16mm argon / 6.38mm Clear Laminate	1.9	0.27	0.33	0.66	
● PRO-005-064	AGG PRIME WTrans lam 4/18/6.38	AGG Insulglass LowE Prime - 4mm LowE Prime / 18mm argon / 6.38mm WhiteTrans Laminate	1.9	0.27	0.25	0.66	
● PRO-005-065	AGG PRIME WTrans lam 6/16/6.38	AGG Insulglass LowE Prime - 6mm LowE Prime / 16mm argon / 6.38mm WhiteTrans Laminate	1.9	0.26	0.25	0.66	
● PRO-005-066	AGG PLUS Clr 4/20/4	AGG Insulglass LowE Plus - 4mm Clear / 20mm argon / 4mm LowE Plus	1.8	0.30	0.39	0.66	
● PRO-005-067	AGG PLUS Clr 5/18/5	AGG Insulglass LowE Plus - 5mm Clear / 18mm argon / 5mm LowE Plus	1.8	0.30	0.38	0.66	
● PRO-005-068	AGG PLUS Clr 6/16/6	AGG Insulglass LowE Plus - 6mm Clear / 16mm argon / 6mm LowE Plus	1.8	0.29	0.38	0.66	
● PRO-005-069	AGG PLUS Clr 8/12/8	AGG Insulglass LowE Plus - 8mm Clear / 12mm argon / 8mm LowE Plus	1.7	0.29	0.37	0.66	
● PRO-005-070	AGG PLUS Gy 4/20/4	AGG Insulglass LowE Plus - 4mm Grey / 20mm argon / 4mm LowE Plus	1.8	0.22	0.24	0.66	
● PRO-005-071	AGG PLUS Gy 6/16/6	AGG Insulglass LowE Plus - 6mm Grey / 16mm argon / 6mm LowE Plus	1.8	0.18	0.19	0.66	
● PRO-005-072	AGG PLUS Clr lam 6.38/18/4	AGG Insulglass LowE Plus - 6.38mm Clear Laminate / 18mm argon / 4mm LowE Plus	1.7	0.29	0.39	0.66	
● PRO-005-073	AGG PLUS Clr lam 6.38/16/6	AGG Insulglass LowE Plus - 6.38mm Clear Laminate / 16mm argon / 6mm LowE Plus	1.7	0.29	0.38	0.66	
● PRO-005-074	AGG PLUS WTrans lam 6.38/18/4	AGG Insulglass LowE Plus - 6.38mm WhiteTrans Laminate / 18mm argon / 4mm LowE Plus	1.7	0.23	0.29	0.66	
● PRO-005-075	AGG PLUS WTrans lam 6.38/16/6	AGG Insulglass LowE Plus - 6.38mm White Trans Laminate / 16mm argon / 6mm LowE Plus	1.7	0.23	0.29	0.66	
● PRO-005-076	AGG MAX Clr 6/16/6	AGG Insulglass LowE Max - 6mm LowE Max / 16mm argon / 6mm Clear	1.7	0.14	0.31	0.66	
● PRO-005-077	AGG MAX LI 6/16/6	AGG Insulglass LowE Max - 6mm LowE Max / 16mm argon / 6mm Low Iron	1.7	0.14	0.32	0.66	
● PRO-005-078	AGG MAX Gy 6/16/6	AGG Insulglass LowE Max - 6mm Grey / 16mm argon / 6mm LowE Max	1.7	0.12	0.15	0.66	
● PRO-005-079	AGG MAX Clr lam 6/16/6.38	AGG Insulglass LowE Max - 6mm LowE Max / 16mm argon / 6.38mm Clear Laminate	1.7	0.14	0.31	0.66	
● PRO-005-080	AGG MAX WTrans lam 6/16/6.38	AGG Insulglass LowE Max - 6mm LowE Max / 16mm argon / 6.38mm WhiteTrans Laminate	1.7	0.14	0.24	0.66	



Australian
Glass Group®

Double Glazed Units (DGU)



KÖMMERLING®

KÖMMERLING 70mm SYSTEM SINGLE SASH TILT AND TURN WINDOW

WERS Window ID	Glazing - Short Name	Glazing - Full Description	Total Window Performance				
			U-Value (Uw)	SHGCw	VLT (Tvw)	AI	
PRO-007	70mm SYSTEM SINGLE SASH TILT AND TURN WINDOW - DOUBLE GLAZED						
● PRO-007-034	AGG CLASSIC Clr 4/20/4	AGG Insulglass Classic - 4mm Clear / 20mm argon / 4mm Clear	2.4	0.47	0.48	0.28	
● PRO-007-035	AGG CLASSIC Clr 5/18/5	AGG Insulglass Classic - 5mm Clear / 18mm argon / 5mm Clear	2.4	0.46	0.48	0.28	
● PRO-007-036	AGG CLASSIC Clr 6/16/6	AGG Insulglass Classic - 6mm Clear / 16mm argon / 6mm Clear	2.4	0.45	0.48	0.28	
● PRO-007-037	AGG CLASSIC Clr 8/12/8	AGG Insulglass Classic - 8mm Clear / 12mm argon / 8mm Clear	2.3	0.43	0.47	0.28	
● PRO-007-038	AGG CLASSIC Gy 4/20/4	AGG Insulglass Classic - 4mm Grey / 20mm argon / 4mm Clear	2.4	0.35	0.30	0.28	
● PRO-007-039	AGG CLASSIC Gy 6/16/6	AGG Insulglass Classic - 6mm Grey / 16mm argon / 6mm Clear	2.4	0.30	0.24	0.28	
● PRO-007-040	AGG CLASSIC Clr lam 6.38/18/4	AGG Insulglass Classic - 6.38mm Clear Laminate / 18mm argon / 4mm Clear	2.4	0.44	0.48	0.28	
● PRO-007-041	AGG CLASSIC Clr lam 6.38/16/6	AGG Insulglass Classic - 6.38mm Clear Laminate / 16mm argon / 6mm Clear	2.3	0.43	0.48	0.28	
● PRO-007-042	AGG CLASSIC WTrans lam 6.38/18/4	AGG Insulglass Classic - 6.38mm WhiteTrans Laminate / 18mm argon / 4mm Clear	2.4	0.36	0.37	0.28	
● PRO-007-043	AGG CLASSIC WTrans lam 6.38/16/6	AGG Insulglass Classic - 6.38mm WhiteTrans Laminate / 16mm argon / 6mm Clear	2.3	0.36	0.36	0.28	
● PRO-007-044	AGG PRIME Clr 4/20/4	AGG Insulglass LowE Prime - 4mm LowE Prime / 20mm argon / 4mm Clear	1.9	0.34	0.41	0.28	
● PRO-007-045	AGG PRIME Clr 5/18/5	AGG Insulglass LowE Prime - 5mm LowE Prime / 18mm argon / 5mm Clear	1.9	0.33	0.40	0.28	
● PRO-007-046	AGG PRIME Clr 6/16/6	AGG Insulglass LowE Prime - 6mm LowE Prime / 16mm argon / 6mm Clear	1.9	0.33	0.40	0.28	
● PRO-007-047	AGG PRIME Clr 8/12/8	AGG Insulglass LowE Prime - 8mm LowE Prime / 12mm argon / 8mm Clear	1.9	0.32	0.39	0.28	
● PRO-007-048	AGG PRIME Gy 4/20/4	AGG Insulglass LowE Prime - 4mm Grey / 20mm argon / 4mm LowE Prime	1.9	0.29	0.26	0.28	
● PRO-007-049	AGG PRIME Gy 6/16/6	AGG Insulglass LowE Prime - 6mm Grey / 16mm argon / 6mm LowE Prime	1.9	0.24	0.20	0.28	
● PRO-007-050	AGG PRIME Clr lam 4/18/6.38	AGG Insulglass LowE Prime - 4mm LowE Prime / 18mm argon / 6.38mm Clear Laminate	1.9	0.33	0.41	0.28	
● PRO-007-051	AGG PRIME Clr lam 6/16/6.38	AGG Insulglass LowE Prime - 6mm LowE Prime / 16mm argon / 6.38mm Clear Laminate	1.9	0.33	0.40	0.28	
● PRO-007-052	AGG PRIME WTrans lam 4/18/6.38	AGG Insulglass LowE Prime - 4mm LowE Prime / 18mm argon / 6.38mm WhiteTrans Laminate	1.9	0.32	0.31	0.28	
● PRO-007-053	AGG PRIME WTrans lam 6/16/6.38	AGG Insulglass LowE Prime - 6mm LowE Prime / 16mm argon / 6.38mm WhiteTrans Laminate	1.9	0.32	0.31	0.28	
● PRO-007-054	AGG PLUS Clr 4/20/4	AGG Insulglass LowE Plus - 4mm Clear / 20mm argon / 4mm LowE Plus	1.8	0.37	0.48	0.28	
● PRO-007-055	AGG PLUS Clr 5/18/5	AGG Insulglass LowE Plus - 5mm Clear / 18mm argon / 5mm LowE Plus	1.8	0.36	0.47	0.28	
● PRO-007-056	AGG PLUS Clr 6/16/6	AGG Insulglass LowE Plus - 6mm Clear / 16mm argon / 6mm LowE Plus	1.8	0.36	0.47	0.28	
● PRO-007-057	AGG PLUS Clr 8/12/8	AGG Insulglass LowE Plus - 8mm Clear / 12mm argon / 8mm LowE Plus	1.7	0.35	0.46	0.28	
● PRO-007-058	AGG PLUS Gy 4/20/4	AGG Insulglass LowE Plus - 4mm Grey / 20mm argon / 4mm LowE Plus	1.8	0.26	0.30	0.28	
● PRO-007-059	AGG PLUS Gy 6/16/6	AGG Insulglass LowE Plus - 6mm Grey / 16mm argon / 6mm LowE Plus	1.8	0.22	0.23	0.28	
● PRO-007-060	AGG PLUS Clr lam 6.38/18/4	AGG Insulglass LowE Plus - 6.38mm Clear Laminate / 18mm argon / 4mm LowE Plus	1.8	0.35	0.47	0.28	
● PRO-007-061	AGG PLUS Clr lam 6.38/16/6	AGG Insulglass LowE Plus - 6.38mm Clear Laminate / 16mm argon / 6mm LowE Plus	1.7	0.35	0.47	0.28	
● PRO-007-062	AGG PLUS WTrans lam 6.38/18/4	AGG Insulglass LowE Plus - 6.38mm WhiteTrans Laminate / 18mm argon / 4mm LowE Plus	1.8	0.28	0.36	0.28	
● PRO-007-063	AGG PLUS WTrans lam 6.38/16/6	AGG Insulglass LowE Plus - 6.38mm White Trans Laminate / 16mm argon / 6mm LowE Plus	1.7	0.28	0.36	0.28	
● PRO-007-064	AGG MAX Clr 6/16/6	AGG Insulglass LowE Max - 6mm LowE Max / 16mm argon / 6mm Clear	1.7	0.17	0.38	0.28	
● PRO-007-065	AGG MAX LI 6/16/6	AGG Insulglass LowE Max - 6mm LowE Max / 16mm argon / 6mm Low Iron	1.7	0.17	0.39	0.28	
● PRO-007-066	AGG MAX Gy 6/16/6	AGG Insulglass LowE Max - 6mm Grey / 16mm argon / 6mm LowE Max	1.7	0.14	0.19	0.28	
● PRO-007-067	AGG MAX Clr lam 6/16/6.38	AGG Insulglass LowE Max - 6mm LowE Max / 16mm argon / 6.38mm Clear Laminate	1.7	0.17	0.38	0.28	
● PRO-007-068	AGG MAX WTrans lam 6/16/6.38	AGG Insulglass LowE Max - 6mm LowE Max / 16mm argon / 6.38mm WhiteTrans Laminate	1.7	0.17	0.29	0.28	



Double Glazed Units (DGU)



KÖMMERLING®

KÖMMERLING 70mm SYSTEM SLIDING DOOR (TILT AND SLIDE)

WERS Window ID	Glazing - Short Name	Glazing - Full Description	Total Window Performance					
			U-Value (Uw)	SHGCw	VLT (Tvw)	AI		
PRO-006	70mm SYSTEM SLIDING DOOR (TILT AND SLIDE) - DOUBLE GLAZED							
● PRO-006-018	AGG CLASSIC Clr 4/20/4	AGG Insulglass Classic - 4mm Clear / 20mm argon / 4mm Clear	2.3	0.45	0.46	1.25		
● PRO-006-019	AGG CLASSIC Clr 5/18/5	AGG Insulglass Classic - 5mm Clear / 18mm argon / 5mm Clear	2.3	0.44	0.46	1.25		
● PRO-006-020	AGG CLASSIC Clr 6/16/6	AGG Insulglass Classic - 6mm Clear / 16mm argon / 6mm Clear	2.3	0.43	0.46	1.25		
● PRO-006-021	AGG CLASSIC Clr 8/12/8	AGG Insulglass Classic - 8mm Clear / 12mm argon / 8mm Clear	2.3	0.41	0.45	1.25		
● PRO-006-022	AGG CLASSIC Gy 4/20/4	AGG Insulglass Classic - 4mm Grey / 20mm argon / 4mm Clear	2.3	0.34	0.29	1.25		
● PRO-006-023	AGG CLASSIC Gy 6/16/6	AGG Insulglass Classic - 6mm Grey / 16mm argon / 6mm Clear	2.3	0.29	0.23	1.25		
● PRO-006-024	AGG CLASSIC Clr lam 6.38/18/4	AGG Insulglass Classic - 6.38mm Clear Laminate / 18mm argon / 4mm Clear	2.3	0.42	0.46	1.25		
● PRO-006-025	AGG CLASSIC Clr lam 6.38/16/6	AGG Insulglass Classic - 6.38mm Clear Laminate / 16mm argon / 6mm Clear	2.3	0.41	0.46	1.25		
● PRO-006-026	AGG CLASSIC WTrans lam 6.38/18/4	AGG Insulglass Classic - 6.38mm WhiteTrans Laminate / 18mm argon / 4mm Clear	2.3	0.35	0.35	1.25		
● PRO-006-027	AGG CLASSIC WTrans lam 6.38/16/6	AGG Insulglass Classic - 6.38mm WhiteTrans Laminate / 16mm argon / 6mm Clear	2.3	0.34	0.35	1.25		
● PRO-006-028	AGG PRIME Clr 4/20/4	AGG Insulglass LowE Prime - 4mm LowE Prime / 20mm argon / 4mm Clear	1.9	0.32	0.39	1.25		
● PRO-006-029	AGG PRIME Clr 5/18/5	AGG Insulglass LowE Prime - 5mm LowE Prime / 18mm argon / 5mm Clear	1.9	0.32	0.39	1.25		
● PRO-006-030	AGG PRIME Clr 6/16/6	AGG Insulglass LowE Prime - 6mm LowE Prime / 16mm argon / 6mm Clear	1.9	0.31	0.38	1.25		
● PRO-006-031	AGG PRIME Clr 8/12/8	AGG Insulglass LowE Prime - 8mm LowE Prime / 12mm argon / 8mm Clear	1.9	0.31	0.38	1.25		
● PRO-006-032	AGG PRIME Gy 4/20/4	AGG Insulglass LowE Prime - 4mm Grey / 20mm argon / 4mm LowE Prime	1.9	0.28	0.24	1.25		
● PRO-006-033	AGG PRIME Gy 6/16/6	AGG Insulglass LowE Prime - 6mm Grey / 16mm argon / 6mm LowE Prime	1.9	0.23	0.19	1.25		
● PRO-006-034	AGG PRIME Clr lam 4/18/6.38	AGG Insulglass LowE Prime - 4mm LowE Prime / 18mm argon / 6.38mm Clear Laminate	1.9	0.32	0.39	1.25		
● PRO-006-035	AGG PRIME Clr lam 6/16/6.38	AGG Insulglass LowE Prime - 6mm LowE Prime / 16mm argon / 6.38mm Clear Laminate	1.9	0.31	0.38	1.25		
● PRO-006-036	AGG PRIME WTrans lam 4/18/6.38	AGG Insulglass LowE Prime - 4mm LowE Prime / 18mm argon / 6.38mm WhiteTrans Laminate	1.9	0.31	0.30	1.25		
● PRO-006-037	AGG PRIME WTrans lam 6/16/6.38	AGG Insulglass LowE Prime - 6mm LowE Prime / 16mm argon / 6.38mm WhiteTrans Laminate	1.9	0.30	0.29	1.25		
● PRO-006-038	AGG PLUS Clr 4/20/4	AGG Insulglass LowE Plus - 4mm Clear / 20mm argon / 4mm LowE Plus	1.8	0.35	0.46	1.25		
● PRO-006-039	AGG PLUS Clr 5/18/5	AGG Insulglass LowE Plus - 5mm Clear / 18mm argon / 5mm LowE Plus	1.8	0.35	0.45	1.25		
● PRO-006-040	AGG PLUS Clr 6/16/6	AGG Insulglass LowE Plus - 6mm Clear / 16mm argon / 6mm LowE Plus	1.7	0.34	0.45	1.25		
● PRO-006-041	AGG PLUS Clr 8/12/8	AGG Insulglass LowE Plus - 8mm Clear / 12mm argon / 8mm LowE Plus	1.7	0.33	0.44	1.25		
● PRO-006-042	AGG PLUS Gy 4/20/4	AGG Insulglass LowE Plus - 4mm Grey / 20mm argon / 4mm LowE Plus	1.8	0.25	0.29	1.25		
● PRO-006-043	AGG PLUS Gy 6/16/6	AGG Insulglass LowE Plus - 6mm Grey / 16mm argon / 6mm LowE Plus	1.7	0.21	0.22	1.25		
● PRO-006-044	AGG PLUS Clr lam 6.38/18/4	AGG Insulglass LowE Plus - 6.38mm Clear Laminate / 18mm argon / 4mm LowE Plus	1.7	0.33	0.45	1.25		
● PRO-006-045	AGG PLUS Clr lam 6.38/16/6	AGG Insulglass LowE Plus - 6.38mm Clear Laminate / 16mm argon / 6mm LowE Plus	1.7	0.33	0.45	1.25		
● PRO-006-046	AGG PLUS WTrans lam 6.38/18/4	AGG Insulglass LowE Plus - 6.38mm WhiteTrans Laminate / 18mm argon / 4mm LowE Plus	1.7	0.27	0.35	1.25		
● PRO-006-047	AGG PLUS WTrans lam 6.38/16/6	AGG Insulglass LowE Plus - 6.38mm White Trans Laminate / 16mm argon / 6mm LowE Plus	1.7	0.27	0.34	1.25		
● PRO-006-048	AGG MAX Clr 6/16/6	AGG Insulglass LowE Max - 6mm LowE Max / 16mm argon / 6mm Clear	1.7	0.16	0.37	1.25		
● PRO-006-049	AGG MAX LI 6/16/6	AGG Insulglass LowE Max - 6mm LowE Max / 16mm argon / 6mm Low Iron	1.7	0.16	0.38	1.25		
● PRO-006-050	AGG MAX Gy 6/16/6	AGG Insulglass LowE Max - 6mm Grey / 16mm argon / 6mm LowE Max	1.7	0.14	0.18	1.25		
● PRO-006-051	AGG MAX Clr lam 6/16/6.38	AGG Insulglass LowE Max - 6mm LowE Max / 16mm argon / 6.38mm Clear Laminate	1.7	0.16	0.37	1.25		
● PRO-006-052	AGG MAX WTrans lam 6/16/6.38	AGG Insulglass LowE Max - 6mm LowE Max / 16mm argon / 6.38mm WhiteTrans Laminate	1.7	0.16	0.28	1.25		



Australian
Glass Group®

Double Glazed Units (DGU)



KÖMMERLING®

KÖMMERLING 70mm SYSTEM OPENING INWARD DOOR

WERS Window ID	Glazing - Short Name	Glazing - Full Description	Total Window Performance			
			U-Value (Uw)	SHGCw	VLT (Tvw)	AI
PRO-010	70mm SYSTEM OPENING INWARD DOOR - DOUBLE GLAZED					
● PRO-010-002	AGG CLASSIC Clr 4/20/4	AGG Insulglass Classic - 4mm Clear / 20mm argon / 4mm Clear	2.2	0.46	0.47	0.11
● PRO-010-003	AGG CLASSIC Clr 5/18/5	AGG Insulglass Classic - 5mm Clear / 18mm argon / 5mm Clear	2.2	0.45	0.47	0.11
● PRO-010-004	AGG CLASSIC Clr 6/16/6	AGG Insulglass Classic - 6mm Clear / 16mm argon / 6mm Clear	2.2	0.44	0.47	0.11
● PRO-010-005	AGG CLASSIC Clr 8/12/8	AGG Insulglass Classic - 8mm Clear / 12mm argon / 8mm Clear	2.2	0.42	0.46	0.11
● PRO-010-006	AGG CLASSIC Gy 4/20/4	AGG Insulglass Classic - 4mm Grey / 20mm argon / 4mm Clear	2.2	0.34	0.30	0.11
● PRO-010-007	AGG CLASSIC Gy 6/16/6	AGG Insulglass Classic - 6mm Grey / 16mm argon / 6mm Clear	2.2	0.29	0.23	0.11
● PRO-010-008	AGG CLASSIC Clr lam 6.38/18/4	AGG Insulglass Classic - 6.38mm Clear Laminate / 18mm argon / 4mm Clear	2.2	0.43	0.47	0.11
● PRO-010-009	AGG CLASSIC Clr lam 6.38/16/6	AGG Insulglass Classic - 6.38mm Clear Laminate / 16mm argon / 6mm Clear	2.2	0.42	0.47	0.11
● PRO-010-010	AGG CLASSIC WTrans lam 6.38/18/4	AGG Insulglass Classic - 6.38mm WhiteTrans Laminate / 18mm argon / 4mm Clear	2.2	0.35	0.36	0.11
● PRO-010-011	AGG CLASSIC WTrans lam 6.38/16/6	AGG Insulglass Classic - 6.38mm WhiteTrans Laminate / 16mm argon / 6mm Clear	2.2	0.35	0.36	0.11
● PRO-010-012	AGG PRIME Clr 4/20/4	AGG Insulglass LowE Prime - 4mm LowE Prime / 20mm argon / 4mm Clear	1.7	0.33	0.40	0.11
● PRO-010-013	AGG PRIME Clr 5/18/5	AGG Insulglass LowE Prime - 5mm LowE Prime / 18mm argon / 5mm Clear	1.7	0.32	0.40	0.11
● PRO-010-014	AGG PRIME Clr 6/16/6	AGG Insulglass LowE Prime - 6mm LowE Prime / 16mm argon / 6mm Clear	1.7	0.32	0.39	0.11
● PRO-010-015	AGG PRIME Clr 8/12/8	AGG Insulglass LowE Prime - 8mm LowE Prime / 12mm argon / 8mm Clear	1.7	0.31	0.39	0.11
● PRO-010-016	AGG PRIME Gy 4/20/4	AGG Insulglass LowE Prime - 4mm Grey / 20mm argon / 4mm LowE Prime	1.7	0.29	0.25	0.11
● PRO-010-017	AGG PRIME Gy 6/16/6	AGG Insulglass LowE Prime - 6mm Grey / 16mm argon / 6mm LowE Prime	1.7	0.24	0.19	0.11
● PRO-010-018	AGG PRIME Clr lam 4/18/6.38	AGG Insulglass LowE Prime - 4mm LowE Prime / 18mm argon / 6.38mm Clear Laminate	1.7	0.33	0.40	0.11
● PRO-010-019	AGG PRIME Clr lam 6/16/6.38	AGG Insulglass LowE Prime - 6mm LowE Prime / 16mm argon / 6.38mm Clear Laminate	1.7	0.32	0.39	0.11
● PRO-010-020	AGG PRIME WTrans lam 4/18/6.38	AGG Insulglass LowE Prime - 4mm LowE Prime / 18mm argon / 6.38mm WhiteTrans Laminate	1.7	0.32	0.30	0.11
● PRO-010-021	AGG PRIME WTrans lam 6/16/6.38	AGG Insulglass LowE Prime - 6mm LowE Prime / 16mm argon / 6.38mm WhiteTrans Laminate	1.7	0.31	0.30	0.11
● PRO-010-022	AGG PLUS Clr 4/20/4	AGG Insulglass LowE Plus - 4mm Clear / 20mm argon / 4mm LowE Plus	1.6	0.36	0.47	0.11
● PRO-010-023	AGG PLUS Clr 5/18/5	AGG Insulglass LowE Plus - 5mm Clear / 18mm argon / 5mm LowE Plus	1.6	0.35	0.46	0.11
● PRO-010-024	AGG PLUS Clr 6/16/6	AGG Insulglass LowE Plus - 6mm Clear / 16mm argon / 6mm LowE Plus	1.6	0.35	0.46	0.11
● PRO-010-025	AGG PLUS Clr 8/12/8	AGG Insulglass LowE Plus - 8mm Clear / 12mm argon / 8mm LowE Plus	1.6	0.34	0.45	0.11
● PRO-010-026	AGG PLUS Gy 4/20/4	AGG Insulglass LowE Plus - 4mm Grey / 20mm argon / 4mm LowE Plus	1.6	0.26	0.29	0.11
● PRO-010-027	AGG PLUS Gy 6/16/6	AGG Insulglass LowE Plus - 6mm Grey / 16mm argon / 6mm LowE Plus	1.6	0.21	0.23	0.11
● PRO-010-028	AGG PLUS Clr lam 6.38/18/4	AGG Insulglass LowE Plus - 6.38mm Clear Laminate / 18mm argon / 4mm LowE Plus	1.6	0.34	0.46	0.11
● PRO-010-029	AGG PLUS Clr lam 6.38/16/6	AGG Insulglass LowE Plus - 6.38mm Clear Laminate / 16mm argon / 6mm LowE Plus	1.6	0.34	0.46	0.11
● PRO-010-030	AGG PLUS WTrans lam 6.38/18/4	AGG Insulglass LowE Plus - 6.38mm WhiteTrans Laminate / 18mm argon / 4mm LowE Plus	1.6	0.27	0.35	0.11
● PRO-010-031	AGG PLUS WTrans lam 6.38/16/6	AGG Insulglass LowE Plus - 6.38mm White Trans Laminate / 16mm argon / 6mm LowE Plus	1.6	0.27	0.35	0.11
● PRO-010-032	AGG MAX Clr 6/16/6	AGG Insulglass LowE Max - 6mm LowE Max / 16mm argon / 6mm Clear	1.5	0.17	0.37	0.11
● PRO-010-033	AGG MAX LI 6/16/6	AGG Insulglass LowE Max - 6mm LowE Max / 16mm argon / 6mm Low Iron	1.5	0.17	0.38	0.11
● PRO-010-034	AGG MAX Gy 6/16/6	AGG Insulglass LowE Max - 6mm Grey / 16mm argon / 6mm LowE Max	1.5	0.14	0.19	0.11
● PRO-010-035	AGG MAX Clr lam 6/16/6.38	AGG Insulglass LowE Max - 6mm LowE Max / 16mm argon / 6.38mm Clear Laminate	1.5	0.17	0.38	0.11
● PRO-010-036	AGG MAX WTrans lam 6/16/6.38	AGG Insulglass LowE Max - 6mm LowE Max / 16mm argon / 6.38mm WhiteTrans Laminate	1.5	0.16	0.29	0.11



Double Glazed Units (DGU)



KÖMMERLING®

KÖMMERLING 70mm SYSTEM OPENING OUTWARD DOOR

WERS Window ID	Glazing - Short Name	Glazing - Full Description	Total Window Performance				
			U-Value (Uw)	SHGCw	VLT (Tvw)	AI	
PRO-012	70mm SYSTEM OPENING OUTWARD DOOR - DOUBLE GLAZED						
● PRO-012-002	AGG CLASSIC Clr 4/20/4	AGG Insulglass Classic - 4mm Clear / 20mm argon / 4mm Clear	2.2	0.46	0.47	0.66	
● PRO-012-003	AGG CLASSIC Clr 5/18/5	AGG Insulglass Classic - 5mm Clear / 18mm argon / 5mm Clear	2.2	0.45	0.47	0.66	
● PRO-012-004	AGG CLASSIC Clr 6/16/6	AGG Insulglass Classic - 6mm Clear / 16mm argon / 6mm Clear	2.2	0.44	0.47	0.66	
● PRO-012-005	AGG CLASSIC Clr 8/12/8	AGG Insulglass Classic - 8mm Clear / 12mm argon / 8mm Clear	2.1	0.42	0.46	0.66	
● PRO-012-006	AGG CLASSIC Gy 4/20/4	AGG Insulglass Classic - 4mm Grey / 20mm argon / 4mm Clear	2.2	0.34	0.30	0.66	
● PRO-012-007	AGG CLASSIC Gy 6/16/6	AGG Insulglass Classic - 6mm Grey / 16mm argon / 6mm Clear	2.2	0.29	0.23	0.66	
● PRO-012-008	AGG CLASSIC Clr lam 6.38/18/4	AGG Insulglass Classic - 6.38mm Clear Laminate / 18mm argon / 4mm Clear	2.2	0.42	0.47	0.66	
● PRO-012-009	AGG CLASSIC Clr lam 6.38/16/6	AGG Insulglass Classic - 6.38mm Clear Laminate / 16mm argon / 6mm Clear	2.1	0.42	0.47	0.66	
● PRO-012-010	AGG CLASSIC WTrans lam 6.38/18/4	AGG Insulglass Classic - 6.38mm WhiteTrans Laminate / 18mm argon / 4mm Clear	2.2	0.35	0.36	0.66	
● PRO-012-011	AGG CLASSIC WTrans lam 6.38/16/6	AGG Insulglass Classic - 6.38mm WhiteTrans Laminate / 16mm argon / 6mm Clear	2.1	0.35	0.36	0.66	
● PRO-012-012	AGG PRIME Clr 4/20/4	AGG Insulglass LowE Prime - 4mm LowE Prime / 20mm argon / 4mm Clear	1.7	0.33	0.40	0.66	
● PRO-012-013	AGG PRIME Clr 5/18/5	AGG Insulglass LowE Prime - 5mm LowE Prime / 18mm argon / 5mm Clear	1.7	0.32	0.40	0.66	
● PRO-012-014	AGG PRIME Clr 6/16/6	AGG Insulglass LowE Prime - 6mm LowE Prime / 16mm argon / 6mm Clear	1.7	0.32	0.39	0.66	
● PRO-012-015	AGG PRIME Clr 8/12/8	AGG Insulglass LowE Prime - 8mm LowE Prime / 12mm argon / 8mm Clear	1.7	0.31	0.39	0.66	
● PRO-012-016	AGG PRIME Gy 4/20/4	AGG Insulglass LowE Prime - 4mm Grey / 20mm argon / 4mm LowE Prime	1.7	0.29	0.25	0.66	
● PRO-012-017	AGG PRIME Gy 6/16/6	AGG Insulglass LowE Prime - 6mm Grey / 16mm argon / 6mm LowE Prime	1.7	0.24	0.19	0.66	
● PRO-012-018	AGG PRIME Clr lam 4/18/6.38	AGG Insulglass LowE Prime - 4mm LowE Prime / 18mm argon / 6.38mm Clear Laminate	1.7	0.33	0.40	0.66	
● PRO-012-019	AGG PRIME Clr lam 6/16/6.38	AGG Insulglass LowE Prime - 6mm LowE Prime / 16mm argon / 6.38mm Clear Laminate	1.7	0.32	0.39	0.66	
● PRO-012-020	AGG PRIME WTrans lam 4/18/6.38	AGG Insulglass LowE Prime - 4mm LowE Prime / 18mm argon / 6.38mm WhiteTrans Laminate	1.7	0.32	0.30	0.66	
● PRO-012-021	AGG PRIME WTrans lam 6/16/6.38	AGG Insulglass LowE Prime - 6mm LowE Prime / 16mm argon / 6.38mm WhiteTrans Laminate	1.7	0.31	0.30	0.66	
● PRO-012-022	AGG PLUS Clr 4/20/4	AGG Insulglass LowE Plus - 4mm Clear / 20mm argon / 4mm LowE Plus	1.6	0.36	0.47	0.66	
● PRO-012-023	AGG PLUS Clr 5/18/5	AGG Insulglass LowE Plus - 5mm Clear / 18mm argon / 5mm LowE Plus	1.6	0.35	0.46	0.66	
● PRO-012-024	AGG PLUS Clr 6/16/6	AGG Insulglass LowE Plus - 6mm Clear / 16mm argon / 6mm LowE Plus	1.6	0.35	0.46	0.66	
● PRO-012-025	AGG PLUS Clr 8/12/8	AGG Insulglass LowE Plus - 8mm Clear / 12mm argon / 8mm LowE Plus	1.5	0.34	0.45	0.66	
● PRO-012-026	AGG PLUS Gy 4/20/4	AGG Insulglass LowE Plus - 4mm Grey / 20mm argon / 4mm LowE Plus	1.6	0.26	0.29	0.66	
● PRO-012-027	AGG PLUS Gy 6/16/6	AGG Insulglass LowE Plus - 6mm Grey / 16mm argon / 6mm LowE Plus	1.6	0.21	0.23	0.66	
● PRO-012-028	AGG PLUS Clr lam 6.38/18/4	AGG Insulglass LowE Plus - 6.38mm Clear Laminate / 18mm argon / 4mm LowE Plus	1.6	0.34	0.46	0.66	
● PRO-012-029	AGG PLUS Clr lam 6.38/16/6	AGG Insulglass LowE Plus - 6.38mm Clear Laminate / 16mm argon / 6mm LowE Plus	1.6	0.34	0.46	0.66	
● PRO-012-030	AGG PLUS WTrans lam 6.38/18/4	AGG Insulglass LowE Plus - 6.38mm WhiteTrans Laminate / 18mm argon / 4mm LowE Plus	1.6	0.27	0.35	0.66	
● PRO-012-031	AGG PLUS WTrans lam 6.38/16/6	AGG Insulglass LowE Plus - 6.38mm White Trans Laminate / 16mm argon / 6mm LowE Plus	1.6	0.27	0.35	0.66	
● PRO-012-032	AGG MAX Clr 6/16/6	AGG Insulglass LowE Max - 6mm LowE Max / 16mm argon / 6mm Clear	1.5	0.17	0.37	0.66	
● PRO-012-033	AGG MAX LI 6/16/6	AGG Insulglass LowE Max - 6mm LowE Max / 16mm argon / 6mm Low Iron	1.5	0.17	0.38	0.66	
● PRO-012-034	AGG MAX Gy 6/16/6	AGG Insulglass LowE Max - 6mm Grey / 16mm argon / 6mm LowE Max	1.5	0.14	0.19	0.66	
● PRO-012-035	AGG MAX Clr lam 6/16/6.38	AGG Insulglass LowE Max - 6mm LowE Max / 16mm argon / 6.38mm Clear Laminate	1.5	0.17	0.38	0.66	
● PRO-012-036	AGG MAX WTrans lam 6/16/6.38	AGG Insulglass LowE Max - 6mm LowE Max / 16mm argon / 6.38mm WhiteTrans Laminate	1.5	0.16	0.29	0.66	



Australian
Glass Group®

Double Glazed Units (DGU)



KÖMMERLING®

KÖMMERLING PREMIDOOR (LIFT AND SLIDE)

WERS Window ID	Glazing - Short Name	Glazing - Full Description	Total Window Performance			
			U-Value (Uw)	SHGCw	VLT (Tvw)	AI
PRO-002	PREMIDOOR (LIFT AND SLIDE) - DOUBLE GLAZED					
● PRO-002-035	AGG CLASSIC Clr 4/20/4	AGG Insulglass Classic - 4mm Clear / 20mm argon / 4mm Clear	2.4	0.49	0.50	0.07
● PRO-002-036	AGG CLASSIC Clr 5/18/5	AGG Insulglass Classic - 5mm Clear / 18mm argon / 5mm Clear	2.4	0.48	0.50	0.07
● PRO-002-037	AGG CLASSIC Clr 6/16/6	AGG Insulglass Classic - 6mm Clear / 16mm argon / 6mm Clear	2.4	0.47	0.50	0.07
● PRO-002-038	AGG CLASSIC Clr 8/12/8	AGG Insulglass Classic - 8mm Clear / 12mm argon / 8mm Clear	2.3	0.45	0.49	0.07
● PRO-002-039	AGG CLASSIC Gy 4/20/4	AGG Insulglass Classic - 4mm Grey / 20mm argon / 4mm Clear	2.4	0.37	0.32	0.07
● PRO-002-040	AGG CLASSIC Gy 6/16/6	AGG Insulglass Classic - 6mm Grey / 16mm argon / 6mm Clear	2.4	0.31	0.25	0.07
● PRO-002-041	AGG CLASSIC Clr lam 6.38/18/4	AGG Insulglass Classic - 6.38mm Clear Laminate / 18mm argon / 4mm Clear	2.4	0.45	0.50	0.07
● PRO-002-042	AGG CLASSIC Clr lam 6.38/16/6	AGG Insulglass Classic - 6.38mm Clear Laminate / 16mm argon / 6mm Clear	2.3	0.45	0.50	0.07
● PRO-002-043	AGG CLASSIC WTrans lam 6.38/18/4	AGG Insulglass Classic - 6.38mm WhiteTrans Laminate / 18mm argon / 4mm Clear	2.4	0.37	0.38	0.07
● PRO-002-044	AGG CLASSIC WTrans lam 6.38/16/6	AGG Insulglass Classic - 6.38mm WhiteTrans Laminate / 16mm argon / 6mm Clear	2.3	0.37	0.38	0.07
● PRO-002-045	AGG PRIME Clr 4/20/4	AGG Insulglass LowE Prime - 4mm LowE Prime / 20mm argon / 4mm Clear	1.9	0.35	0.43	0.07
● PRO-002-046	AGG PRIME Clr 5/18/5	AGG Insulglass LowE Prime - 5mm LowE Prime / 18mm argon / 5mm Clear	1.9	0.35	0.42	0.07
● PRO-002-047	AGG PRIME Clr 6/16/6	AGG Insulglass LowE Prime - 6mm LowE Prime / 16mm argon / 6mm Clear	1.9	0.34	0.42	0.07
● PRO-002-048	AGG PRIME Clr 8/12/8	AGG Insulglass LowE Prime - 8mm LowE Prime / 12mm argon / 8mm Clear	1.8	0.33	0.41	0.07
● PRO-002-049	AGG PRIME Gy 4/20/4	AGG Insulglass LowE Prime - 4mm Grey / 20mm argon / 4mm LowE Prime	1.9	0.30	0.27	0.07
● PRO-002-050	AGG PRIME Gy 6/16/6	AGG Insulglass LowE Prime - 6mm Grey / 16mm argon / 6mm LowE Prime	1.9	0.25	0.21	0.07
● PRO-002-051	AGG PRIME Clr lam 4/18/6.38	AGG Insulglass LowE Prime - 4mm LowE Prime / 18mm argon / 6.38mm Clear Laminate	1.9	0.35	0.42	0.07
● PRO-002-052	AGG PRIME Clr lam 6/16/6.38	AGG Insulglass LowE Prime - 6mm LowE Prime / 16mm argon / 6.38mm Clear Laminate	1.9	0.34	0.42	0.07
● PRO-002-053	AGG PRIME WTrans lam 4/18/6.38	AGG Insulglass LowE Prime - 4mm LowE Prime / 18mm argon / 6.38mm WhiteTrans Laminate	1.9	0.34	0.32	0.07
● PRO-002-054	AGG PRIME WTrans lam 6/16/6.38	AGG Insulglass LowE Prime - 6mm LowE Prime / 16mm argon / 6.38mm WhiteTrans Laminate	1.9	0.33	0.32	0.07
● PRO-002-055	AGG PLUS Clr 4/20/4	AGG Insulglass LowE Plus - 4mm Clear / 20mm argon / 4mm LowE Plus	1.7	0.38	0.50	0.07
● PRO-002-056	AGG PLUS Clr 5/18/5	AGG Insulglass LowE Plus - 5mm Clear / 18mm argon / 5mm LowE Plus	1.7	0.38	0.49	0.07
● PRO-002-057	AGG PLUS Clr 6/16/6	AGG Insulglass LowE Plus - 6mm Clear / 16mm argon / 6mm LowE Plus	1.7	0.37	0.49	0.07
● PRO-002-058	AGG PLUS Clr 8/12/8	AGG Insulglass LowE Plus - 8mm Clear / 12mm argon / 8mm LowE Plus	1.7	0.36	0.48	0.07
● PRO-002-059	AGG PLUS Gy 4/20/4	AGG Insulglass LowE Plus - 4mm Grey / 20mm argon / 4mm LowE Plus	1.7	0.27	0.31	0.07
● PRO-002-060	AGG PLUS Gy 6/16/6	AGG Insulglass LowE Plus - 6mm Grey / 16mm argon / 6mm LowE Plus	1.7	0.22	0.24	0.07
● PRO-002-061	AGG PLUS Clr lam 6.38/18/4	AGG Insulglass LowE Plus - 6.38mm Clear Laminate / 18mm argon / 4mm LowE Plus	1.7	0.36	0.49	0.07
● PRO-002-062	AGG PLUS Clr lam 6.38/16/6	AGG Insulglass LowE Plus - 6.38mm Clear Laminate / 16mm argon / 6mm LowE Plus	1.7	0.36	0.49	0.07
● PRO-002-063	AGG PLUS WTrans lam 6.38/18/4	AGG Insulglass LowE Plus - 6.38mm WhiteTrans Laminate / 18mm argon / 4mm LowE Plus	1.7	0.29	0.38	0.07
● PRO-002-064	AGG PLUS WTrans lam 6.38/16/6	AGG Insulglass LowE Plus - 6.38mm White Trans Laminate / 16mm argon / 6mm LowE Plus	1.7	0.29	0.37	0.07
● PRO-002-065	AGG MAX Clr 6/16/6	AGG Insulglass LowE Max - 6mm LowE Max / 16mm argon / 6mm Clear	1.7	0.18	0.40	0.07
● PRO-002-066	AGG MAX LI 6/16/6	AGG Insulglass LowE Max - 6mm LowE Max / 16mm argon / 6mm Low Iron	1.7	0.18	0.41	0.07
● PRO-002-067	AGG MAX Gy 6/16/6	AGG Insulglass LowE Max - 6mm Grey / 16mm argon / 6mm LowE Max	1.7	0.15	0.20	0.07
● PRO-002-068	AGG MAX Clr lam 6/16/6.38	AGG Insulglass LowE Max - 6mm LowE Max / 16mm argon / 6.38mm Clear Laminate	1.7	0.18	0.40	0.07
● PRO-002-069	AGG MAX WTrans lam 6/16/6.38	AGG Insulglass LowE Max - 6mm LowE Max / 16mm argon / 6.38mm WhiteTrans Laminate	1.7	0.17	0.31	0.07

KÖMMERLING PREMILINE (STACKER DOOR)

WERS Window ID	Glazing - Short Name	Glazing - Full Description	Total Window Performance			
			U-Value (Uw)	SHGCw	VLT (Tvw)	AI
PRO-003	PREMILINE (STACKER DOOR) - DOUBLE GLAZED					
● PRO-003-035	AGG CLASSIC Clr 4/20/4	AGG Insulglass Classic - 4mm Clear / 20mm argon / 4mm Clear	2.6	0.54	0.56	0.07
● PRO-003-036	AGG CLASSIC Clr 5/18/5	AGG Insulglass Classic - 5mm Clear / 18mm argon / 5mm Clear	2.6	0.53	0.56	0.07
● PRO-003-037	AGG CLASSIC Clr 6/16/6	AGG Insulglass Classic - 6mm Clear / 16mm argon / 6mm Clear	2.6	0.52	0.55	0.07
● PRO-003-038	AGG CLASSIC Clr 8/12/8	AGG Insulglass Classic - 8mm Clear / 12mm argon / 8mm Clear	2.6	0.50	0.54	0.07
● PRO-003-039	AGG CLASSIC Gy 4/20/4	AGG Insulglass Classic - 4mm Grey / 20mm argon / 4mm Clear	2.6	0.40	0.35	0.07
● PRO-003-040	AGG CLASSIC Gy 6/16/6	AGG Insulglass Classic - 6mm Grey / 16mm argon / 6mm Clear	2.6	0.34	0.27	0.07
● PRO-003-041	AGG CLASSIC Clr lam 6.38/18/4	AGG Insulglass Classic - 6.38mm Clear Laminate / 18mm argon / 4mm Clear	2.6	0.50	0.56	0.07
● PRO-003-042	AGG CLASSIC Clr lam 6.38/16/6	AGG Insulglass Classic - 6.38mm Clear Laminate / 16mm argon / 6mm Clear	2.6	0.50	0.55	0.07
● PRO-003-043	AGG CLASSIC WTrans lam 6.38/18/4	AGG Insulglass Classic - 6.38mm WhiteTrans Laminate / 18mm argon / 4mm Clear	2.6	0.41	0.43	0.07
● PRO-003-044	AGG CLASSIC WTrans lam 6.38/16/6	AGG Insulglass Classic - 6.38mm WhiteTrans Laminate / 16mm argon / 6mm Clear	2.6	0.41	0.42	0.07
● PRO-003-045	AGG PRIME Clr 4/20/4	AGG Insulglass LowE Prime - 4mm LowE Prime / 20mm argon / 4mm Clear	2.1	0.39	0.47	0.07
● PRO-003-046	AGG PRIME Clr 5/18/5	AGG Insulglass LowE Prime - 5mm LowE Prime / 18mm argon / 5mm Clear	2.1	0.38	0.47	0.07
● PRO-003-047	AGG PRIME Clr 6/16/6	AGG Insulglass LowE Prime - 6mm LowE Prime / 16mm argon / 6mm Clear	2.1	0.38	0.47	0.07
● PRO-003-048	AGG PRIME Clr 8/12/8	AGG Insulglass LowE Prime - 8mm LowE Prime / 12mm argon / 8mm Clear	2.0	0.36	0.46	0.07
● PRO-003-049	AGG PRIME Gy 4/20/4	AGG Insulglass LowE Prime - 4mm Grey / 20mm argon / 4mm LowE Prime	2.1	0.34	0.30	0.07
● PRO-003-050	AGG PRIME Gy 6/16/6	AGG Insulglass LowE Prime - 6mm Grey / 16mm argon / 6mm LowE Prime	2.1	0.28	0.23	0.07
● PRO-003-051	AGG PRIME Clr lam 4/18/6.38	AGG Insulglass LowE Prime - 4mm LowE Prime / 18mm argon / 6.38mm Clear Laminate	2.0	0.38	0.47	0.07
● PRO-003-052	AGG PRIME Clr lam 6/16/6.38	AGG Insulglass LowE Prime - 6mm LowE Prime / 16mm argon / 6.38mm Clear Laminate	2.0	0.37	0.47	0.07
● PRO-003-053	AGG PRIME WTrans lam 4/18/6.38	AGG Insulglass LowE Prime - 4mm LowE Prime / 18mm argon / 6.38mm WhiteTrans Laminate	2.0	0.37	0.36	0.07
● PRO-003-054	AGG PRIME WTrans lam 6/16/6.38	AGG Insulglass LowE Prime - 6mm LowE Prime / 16mm argon / 6.38mm WhiteTrans Laminate	2.0	0.36	0.36	0.07
● PRO-003-055	AGG PLUS Clr 4/20/4	AGG Insulglass LowE Plus - 4mm Clear / 20mm argon / 4mm LowE Plus	1.9	0.42	0.55	0.07
● PRO-003-056	AGG PLUS Clr 5/18/5	AGG Insulglass LowE Plus - 5mm Clear / 18mm argon / 5mm LowE Plus	1.9	0.42	0.55	0.07
● PRO-003-057	AGG PLUS Clr 6/16/6	AGG Insulglass LowE Plus - 6mm Clear / 16mm argon / 6mm LowE Plus	1.9	0.41	0.54	0.07
● PRO-003-058	AGG PLUS Clr 8/12/8	AGG Insulglass LowE Plus - 8mm Clear / 12mm argon / 8mm LowE Plus	1.9	0.40	0.54	0.07
● PRO-003-059	AGG PLUS Gy 4/20/4	AGG Insulglass LowE Plus - 4mm Grey / 20mm argon / 4mm LowE Plus	1.9	0.30	0.35	0.07
● PRO-003-060	AGG PLUS Gy 6/16/6	AGG Insulglass LowE Plus - 6mm Grey / 16mm argon / 6mm LowE Plus	1.9	0.25	0.27	0.07
● PRO-003-061	AGG PLUS Clr lam 6.38/18/4	AGG Insulglass LowE Plus - 6.38mm Clear Laminate / 18mm argon / 4mm LowE Plus	1.9	0.40	0.55	0.07
● PRO-003-062	AGG PLUS Clr lam 6.38/16/6	AGG Insulglass LowE Plus - 6.38mm Clear Laminate / 16mm argon / 6mm LowE Plus	1.9	0.40	0.55	0.07
● PRO-003-063	AGG PLUS WTrans lam 6.38/18/4	AGG Insulglass LowE Plus - 6.38mm WhiteTrans Laminate / 18mm argon / 4mm LowE Plus	1.9	0.32	0.42	0.07
● PRO-003-064	AGG PLUS WTrans lam 6.38/16/6	AGG Insulglass LowE Plus - 6.38mm White Trans Laminate / 16mm argon / 6mm LowE Plus	1.9	0.32	0.42	0.07
● PRO-003-065	AGG MAX Clr 6/16/6	AGG Insulglass LowE Max - 6mm LowE Max / 16mm argon / 6mm Clear	1.8	0.19	0.45	0.07
● PRO-003-066	AGG MAX LI 6/16/6	AGG Insulglass LowE Max - 6mm LowE Max / 16mm argon / 6mm Low Iron	1.8	0.19	0.46	0.07
● PRO-003-067	AGG MAX Gy 6/16/6	AGG Insulglass LowE Max - 6mm Grey / 16mm argon / 6mm LowE Max	1.8	0.16	0.22	0.07
● PRO-003-068	AGG MAX Clr lam 6/16/6.38	AGG Insulglass LowE Max - 6mm LowE Max / 16mm argon / 6.38mm Clear Laminate	1.8	0.19	0.45	0.07
● PRO-003-069	AGG MAX WTrans lam 6/16/6.38	AGG Insulglass LowE Max - 6mm LowE Max / 16mm argon / 6.38mm WhiteTrans Laminate	1.8	0.19	0.34	0.07

KÖMMERLING 70mm SYSTEM FIXED WINDOW

WERS Window ID	Glazing - Short Name	Glazing - Full Description	Total Window Performance			
			U-Value (Uw)	SHGCw	VLT (Tvw)	AI
PRO-009	70mm SYSTEM FIXED WINDOW - TRIPLE GLAZED					
● PRO-009-004	AGG CLASSIC Clr 4/12/4/12/4	AGG Insulglass Classic - 4mm Clear / 12mm argon / 4mm Clear / 12mm argon / 4mm Clear	1.7	0.57	0.60	0.00
● PRO-009-001	AGG CLASSIC Gy 4/12/4/12/4	AGG Insulglass Classic - 4mm Grey / 12mm argon / 4mm Clear / 12mm argon / 4mm Clear	1.7	0.40	0.37	0.00
● PRO-009-005	AGG PLUS(1) Clr 4/12/4/12/4	AGG Insulglass LowE Plus - 4mm Clear / 12mm argon / 4mm Clear / 12mm argon / 4mm LowE Plus	1.3	0.45	0.59	0.00
● PRO-009-002	AGG PLUS(1) Gy 4/12/4/12/4	AGG Insulglass LowE Plus - 4mm Grey / 12mm argon / 4mm Clear / 12mm argon / 4mm LowE Plus	1.3	0.31	0.36	0.00
● PRO-009-006	AGG PLUS(2) Clr 4/12/4/12/4	AGG Insulglass LowE Plus - 4mm Clear / 12mm argon / 4mm LowE Plus / 12mm argon / 4mm LowE Plus	1.0	0.41	0.58	0.00
● PRO-009-003	AGG PLUS(2) Gy 4/12/4/12/4	AGG Insulglass LowE Plus - 4mm Grey / 12mm argon / 4mm LowE Plus / 12mm argon / 4mm LowE Plus	1.0	0.28	0.36	0.00

KÖMMERLING 70mm SYSTEM OPENING INWARD AWNING WINDOW

WERS Window ID	Glazing - Short Name	Glazing - Full Description	Total Window Performance			
			U-Value (Uw)	SHGCw	VLT (Tvw)	AI
PRO-015	70mm SYSTEM OPENING INWARD AWNING WINDOW - TRIPLE GLAZED					
● PRO-015-004	AGG CLASSIC Clr 4/12/4/12/4	AGG Insulglass Classic - 4mm Clear / 12mm argon / 4mm Clear / 12mm argon / 4mm Clear	1.9	0.35	0.36	0.11
● PRO-015-001	AGG CLASSIC Gy 4/12/4/12/4	AGG Insulglass Classic - 4mm Grey / 12mm argon / 4mm Clear / 12mm argon / 4mm Clear	1.9	0.25	0.22	0.11
● PRO-015-005	AGG PLUS(1) Clr 4/12/4/12/4	AGG Insulglass LowE Plus - 4mm Clear / 12mm argon / 4mm Clear / 12mm argon / 4mm LowE Plus	1.6	0.28	0.36	0.11
● PRO-015-002	AGG PLUS(1) Gy 4/12/4/12/4	AGG Insulglass LowE Plus - 4mm Grey / 12mm argon / 4mm Clear / 12mm argon / 4mm LowE Plus	1.6	0.19	0.22	0.11
● PRO-015-006	AGG PLUS(2) Clr 4/12/4/12/4	AGG Insulglass LowE Plus - 4mm Clear / 12mm argon / 4mm LowE Plus / 12mm argon / 4mm LowE Plus	1.4	0.26	0.35	0.11
● PRO-015-003	AGG PLUS(2) Gy 4/12/4/12/4	AGG Insulglass LowE Plus - 4mm Grey / 12mm argon / 4mm LowE Plus / 12mm argon / 4mm LowE Plus	1.4	0.18	0.22	0.11

KÖMMERLING 70mm SYSTEM OPENING OUTWARD AWNING WINDOW

WERS Window ID	Glazing - Short Name	Glazing - Full Description	Total Window Performance			
			U-Value (U _w)	SHGC _w	VLT (T _{vw})	AI
PRO-016	70mm SYSTEM OPENING OUTWARD AWNING WINDOW - TRIPLE GLAZED					
● PRO-016-004	AGG CLASSIC Clr 4/12/4/12/4	AGG Insulglass Classic - 4mm Clear / 12mm argon / 4mm Clear / 12mm argon / 4mm Clear	1.8	0.35	0.36	0.66
● PRO-016-001	AGG CLASSIC Gy 4/12/4/12/4	AGG Insulglass Classic - 4mm Grey / 12mm argon / 4mm Clear / 12mm argon / 4mm Clear	1.8	0.25	0.22	0.66
● PRO-016-005	AGG PLUS(1) Clr 4/12/4/12/4	AGG Insulglass LowE Plus - 4mm Clear / 12mm argon / 4mm Clear / 12mm argon / 4mm LowE Plus	1.6	0.28	0.36	0.66
● PRO-016-002	AGG PLUS(1) Gy 4/12/4/12/4	AGG Insulglass LowE Plus - 4mm Grey / 12mm argon / 4mm Clear / 12mm argon / 4mm LowE Plus	1.6	0.19	0.22	0.66
● PRO-016-006	AGG PLUS(2) Clr 4/12/4/12/4	AGG Insulglass LowE Plus - 4mm Clear / 12mm argon / 4mm LowE Plus / 12mm argon / 4mm LowE Plus	1.4	0.26	0.35	0.66
● PRO-016-003	AGG PLUS(2) Gy 4/12/4/12/4	AGG Insulglass LowE Plus - 4mm Grey / 12mm argon / 4mm LowE Plus / 12mm argon / 4mm LowE Plus	1.4	0.18	0.22	0.66

KÖMMERLING 70mm SYSTEM SINGLE SASH TILT AND TURN WINDOW

WERS Window ID	Glazing - Short Name	Glazing - Full Description	Total Window Performance			
			U-Value (U _w)	SHGC _w	VLT (T _{vw})	AI
PRO-018	70mm SYSTEM SINGLE SASH TILT AND TURN WINDOW - TRIPLE GLAZED					
● PRO-018-004	AGG CLASSIC Clr 4/12/4/12/4	AGG Insulglass Classic - 4mm Clear / 12mm argon / 4mm Clear / 12mm argon / 4mm Clear	1.8	0.42	0.44	0.28
● PRO-018-001	AGG CLASSIC Gy 4/12/4/12/4	AGG Insulglass Classic - 4mm Grey / 12mm argon / 4mm Clear / 12mm argon / 4mm Clear	1.8	0.30	0.27	0.28
● PRO-018-005	AGG PLUS(1) Clr 4/12/4/12/4	AGG Insulglass LowE Plus - 4mm Clear / 12mm argon / 4mm Clear / 12mm argon / 4mm LowE Plus	1.5	0.34	0.43	0.28
● PRO-018-002	AGG PLUS(1) Gy 4/12/4/12/4	AGG Insulglass LowE Plus - 4mm Grey / 12mm argon / 4mm Clear / 12mm argon / 4mm LowE Plus	1.5	0.23	0.27	0.28
● PRO-018-006	AGG PLUS(2) Clr 4/12/4/12/4	AGG Insulglass LowE Plus - 4mm Clear / 12mm argon / 4mm LowE Plus / 12mm argon / 4mm LowE Plus	1.3	0.31	0.43	0.28
● PRO-018-003	AGG PLUS(2) Gy 4/12/4/12/4	AGG Insulglass LowE Plus - 4mm Grey / 12mm argon / 4mm LowE Plus / 12mm argon / 4mm LowE Plus	1.4	0.21	0.26	0.28

KÖMMERLING 70mm SYSTEM SLIDING DOOR (TILT AND SLIDE)

WERS Window ID	Glazing - Short Name	Glazing - Full Description	Total Window Performance			
			U-Value (U _w)	SHGC _w	VLT (T _w)	AI
PRO-017	70mm SYSTEM SLIDING DOOR (TILT AND SLIDE) - TRIPLE GLAZED					
● PRO-017-004	AGG CLASSIC Clr 4/12/4/12/4	AGG Insulglass Classic - 4mm Clear / 12mm argon / 4mm Clear / 12mm argon / 4mm Clear	1.8	0.40	0.42	1.25
● PRO-017-001	AGG CLASSIC Gy 4/12/4/12/4	AGG Insulglass Classic - 4mm Grey / 12mm argon / 4mm Clear / 12mm argon / 4mm Clear	1.8	0.29	0.26	1.25
● PRO-017-005	AGG PLUS(1) Clr 4/12/4/12/4	AGG Insulglass LowE Plus - 4mm Clear / 12mm argon / 4mm Clear / 12mm argon / 4mm LowE Plus	1.5	0.32	0.41	1.25
● PRO-017-002	AGG PLUS(1) Gy 4/12/4/12/4	AGG Insulglass LowE Plus - 4mm Grey / 12mm argon / 4mm Clear / 12mm argon / 4mm LowE Plus	1.5	0.22	0.26	1.25
● PRO-017-006	AGG PLUS(2) Clr 4/12/4/12/4	AGG Insulglass LowE Plus - 4mm Clear / 12mm argon / 4mm LowE Plus / 12mm argon / 4mm LowE Plus	1.3	0.30	0.41	1.25
● PRO-017-003	AGG PLUS(2) Gy 4/12/4/12/4	AGG Insulglass LowE Plus - 4mm Grey / 12mm argon / 4mm LowE Plus / 12mm argon / 4mm LowE Plus	1.3	0.20	0.25	1.25

KÖMMERLING 70mm SYSTEM OPENING INWARD DOOR

WERS Window ID	Glazing - Short Name	Glazing - Full Description	Total Window Performance			
			U-Value (U _w)	SHGC _w	VLT (T _w)	AI
PRO-011	70mm SYSTEM OPENING INWARD DOOR - TRIPLE GLAZED					
● PRO-011-004	AGG CLASSIC Clr 4/12/4/12/4	AGG Insulglass Classic - 4mm Clear / 12mm argon / 4mm Clear / 12mm argon / 4mm Clear	1.7	0.42	0.44	0.11
● PRO-011-001	AGG CLASSIC Gy 4/12/4/12/4	AGG Insulglass Classic - 4mm Grey / 12mm argon / 4mm Clear / 12mm argon / 4mm Clear	1.7	0.29	0.27	0.11
● PRO-011-005	AGG PLUS(1) Clr 4/12/4/12/4	AGG Insulglass LowE Plus - 4mm Clear / 12mm argon / 4mm Clear / 12mm argon / 4mm LowE Plus	1.3	0.33	0.43	0.11
● PRO-011-002	AGG PLUS(1) Gy 4/12/4/12/4	AGG Insulglass LowE Plus - 4mm Grey / 12mm argon / 4mm Clear / 12mm argon / 4mm LowE Plus	1.3	0.23	0.26	0.11
● PRO-011-006	AGG PLUS(2) Clr 4/12/4/12/4	AGG Insulglass LowE Plus - 4mm Clear / 12mm argon / 4mm LowE Plus / 12mm argon / 4mm LowE Plus	1.2	0.31	0.42	0.11
● PRO-011-003	AGG PLUS(2) Gy 4/12/4/12/4	AGG Insulglass LowE Plus - 4mm Grey / 12mm argon / 4mm LowE Plus / 12mm argon / 4mm LowE Plus	1.2	0.21	0.26	0.11

KÖMMERLING 70mm SYSTEM OPENING OUTWARD DOOR

WERS Window ID	Glazing - Short Name	Glazing - Full Description	Total Window Performance			
			U-Value (Uw)	SHGCw	VLT (Tvw)	AI
PRO-013	70mm SYSTEM OPENING OUTWARD DOOR - TRIPLE GLAZED					
● PRO-013-004	AGG CLASSIC Clr 4/12/4/12/4	AGG Insulglass Classic - 4mm Clear / 12mm argon / 4mm Clear / 12mm argon / 4mm Clear	1.7	0.42	0.44	0.66
● PRO-013-001	AGG CLASSIC Gy 4/12/4/12/4	AGG Insulglass Classic - 4mm Grey / 12mm argon / 4mm Clear / 12mm argon / 4mm Clear	1.7	0.29	0.27	0.66
● PRO-013-005	AGG PLUS(1) Clr 4/12/4/12/4	AGG Insulglass LowE Plus - 4mm Clear / 12mm argon / 4mm Clear / 12mm argon / 4mm LowE Plus	1.3	0.33	0.43	0.66
● PRO-013-002	AGG PLUS(1) Gy 4/12/4/12/4	AGG Insulglass LowE Plus - 4mm Grey / 12mm argon / 4mm Clear / 12mm argon / 4mm LowE Plus	1.3	0.23	0.26	0.66
● PRO-013-006	AGG PLUS(2) Clr 4/12/4/12/4	AGG Insulglass LowE Plus - 4mm Clear / 12mm argon / 4mm LowE Plus / 12mm argon / 4mm LowE Plus	1.1	0.31	0.42	0.66
● PRO-013-003	AGG PLUS(2) Gy 4/12/4/12/4	AGG Insulglass LowE Plus - 4mm Grey / 12mm argon / 4mm LowE Plus / 12mm argon / 4mm LowE Plus	1.1	0.21	0.26	0.66

KÖMMERLING PREMIDOOR (LIFT AND SLIDE)

WERS Window ID	Glazing - Short Name	Glazing - Full Description	Total Window Performance			
			U-Value (Uw)	SHGCw	VLT (Tvw)	AI
PRO-014	PREMIDOOR (LIFT AND SLIDE) - TRIPLE GLAZED					
● PRO-014-004	AGG CLASSIC Clr 4/12/4/12/4	AGG Insulglass Classic - 4mm Clear / 12mm argon / 4mm Clear / 12mm argon / 4mm Clear	1.8	0.44	0.46	0.07
● PRO-014-001	AGG CLASSIC Gy 4/12/4/12/4	AGG Insulglass Classic - 4mm Grey / 12mm argon / 4mm Clear / 12mm argon / 4mm Clear	1.8	0.31	0.28	0.07
● PRO-014-005	AGG PLUS(1) Clr 4/12/4/12/4	AGG Insulglass LowE Plus - 4mm Clear / 12mm argon / 4mm Clear / 12mm argon / 4mm LowE Plus	1.5	0.35	0.45	0.07
● PRO-014-002	AGG PLUS(1) Gy 4/12/4/12/4	AGG Insulglass LowE Plus - 4mm Grey / 12mm argon / 4mm Clear / 12mm argon / 4mm LowE Plus	1.5	0.24	0.28	0.07
● PRO-014-006	AGG PLUS(2) Clr 4/12/4/12/4	AGG Insulglass LowE Plus - 4mm Clear / 12mm argon / 4mm LowE Plus / 12mm argon / 4mm LowE Plus	1.3	0.32	0.45	0.07
● PRO-014-003	AGG PLUS(2) Gy 4/12/4/12/4	AGG Insulglass LowE Plus - 4mm Grey / 12mm argon / 4mm LowE Plus / 12mm argon / 4mm LowE Plus	1.3	0.22	0.28	0.07



agg.com.au | info@agg.com.au | 1300 768 024

AGG NSW

140 Gilba Rd
Girraween, NSW
P: (02) 9896 0566
F: (02) 9896 0190

AGG VIC

81-83 Rushdale St
Knoxfield, VIC
P: (03) 9730 7400
F: (03) 9730 7488

AGG TAS

39 South Arm Rd
Rokeby, TAS
P: (03) 6247 1625
F: (03) 6247 6843